

## ADVANCED HOMOEOPATHIC PRACTICE

By: **Dr. V. KRISHNAMURTHY**

“RAMAN HOUSE”

Old No. 21, Kuppiah Street,

West Mambalam

Chennai - 33, India

Ph: 044-65393214, 097890 69362

---

BULLETIN NO. 6

### ***Preface and Introduction to new-comers desiring to learn and practise homoeopathy.***

You must keep the name of disease (pathology) away from your mind while trying to find a remedy for a patient. We do not merely prescribe on pathology alone. In allopathy no doctor would prescribe insulin for typhoid, nor antibiotics for diabetes. This is because they treat diseases.

In homoeopathy we treat ‘a patient with diabetes’ or ‘a patient with typhoid’ and so on and so forth. What is the difference?

In homoeopathy one and the same remedy may be indicated for typhoid in one patient and for diabetes in another patient. If this is so, we go to the question as to what is the basis for prescribing in homoeopathy as separate and distinct from allopathy or for that matter other systems of medicine.

Classification of patients for making the prescription in homoeopathy is not on name of diseases or pathology; but it is on an altogether different classification. Such classifications are as they already exist in different patient.

Let us now go to bulletin No. 1 where Petroleum was prescribed for a patient with hypertension, diabetes, diarrhoea etc. whereas the same remedy was prescribed for eczema in another patient. That was because both patients felt that death was near and so they should hurry to settle affairs.

Throughout our lessons in these bulletins what we learn is not particular remedies for diabetes, for jaundice etc. but different classification of patient (irrespective of the name of the diseases they are suffering from) as is found from time immemorial and which doctors of all other systems had been simply ignoring.

We have already learnt such classifications and it won't be out of place if we repeat some of them hereunder:

‘Symptoms disposed to appear periodically and in groups.’ This straightaway points to the homoeo medicine *Cuprum met.* Whatever may be the name of disease that the patient may be suffering, if a patient reports this syndrome this remedy would cure the underlying pathology.

By all the above we do not mean to say that diagnosis or pathology is not at all useful. In life threatening emergencies the case is different. There such life threatening symptoms (septicaemia, haemorrhage etc.) becomes general symptom and on such general symptom (be it pathology or not) we can straightaway prescribe. For example, if jaundice develops during the course of serious diseases—terminal cancer etc. it is known as malignant jaundice. The foremost remedy that we should think for this condition is *Crotalus horridus*. Of course, after the patient recovers partly or fully we have to follow up the case with other remedies as per indication. The totality of a patient at any given time points to one remedy only and that remedy at that time is called similimum for that patient. One remedy at a time is the rule and not one remedy throughout the lifetime of a patient.

Before you start practising or making use of repertories you must beforehand learn the different terms, most of which have not relevance for other systems of medicine.

---

## **PLETHORA, PLETHORIC INDIVIDUALS etc.**

This term means ‘excess or abundant energy in body.’ These persons are called plethoric individuals.

Plethoric persons can do the job of ten persons single-handedly, both quantitatively as well as qualitatively. Other examples of plethoric persons are those who have done several Ph.D.s or who do Ph. D. at their sixtieth year of age; also those who have done several postgraduates studied in many subjects; also those who start studying, learning and mastering a subject or art even at their forty-five years of age. The term ‘tiredness’ is not in their vocabulary. Work for them is worship. The workaholics. Old age is not a deterrent for them.

Therefore, in the absence of more valuable symptoms in a case, if you find the patient is of the above type you may use the term plethora. This is a general symptom.

If the student of homoeopathy does not learn these terms that would be a signal failure in practice and it is because of these reasons that failures are more and thus homoeopathy has gone into disrepute.

Look at the Final and Sensible Repertory of Mind symptoms by Dr. V. Krishnamurthy and in that on page 22 you will find the following:

Plethoric individuals (plethora, plethoric = Excess or abundant energy in body அளவுக்கதிகமான, தேவைக்கு அதிகமான உடல், மன வலிமை உடையவர்களை plethoric individual

என்பார். For example, those who had done several Ph.D.'s or doing Ph.D. at his 60th year of age.): 1, Acon., Aur-met., Bell., Cal-c., Lyc., Phos., Sep., Sulph.; 2, Arn., Bry., Chin., Ferr., Nat-m., Nux v., Rhus, Thuj.

—Complaints of plethoric, debilitated, hypochondriac, or nervous individuals. The principal remedies are: Acon., Amb., Am-c., Arn., Aur-met., Bell., Bry., Cal-c., Carb-v., Caust., Chin., Croc., Fer., Hep., Iod., Kalm., Kreos., Lyc., Natr-m., Nux-v., Op., Petr., Phos., Phos-ac., Rhus., Samb., Sarsap., Senn., Sep., Sil., Stann., Sulph., Thuj.

—nervous, very irritable individuals: Acon., Amb., Arn., Aur-met., Bell., Cal-c., Chin., Ferr., Lyc., Nux v., Petr., Samb.

Under some remedies in some materia medicas you would find the term 'abdominal plethora.' Let us explain this. (1) A person daily drinks country liquor; does not care for food. Any amount of liquor would be withstood by his abdomen whereas if we take that country liquor even for one day we would vomit or get abdominal pain. This is called abdominal plethora. (2) On the other hand too many complaints in abdomen may also be called abdominal plethora. Here the word congestion may also be thought of. We shall later explain the difference between 'congestion' and 'plethora.'

***Remedies in which the symptom 'plethora' was found are given below:***

Aconite - persons leading a sedentary life; plethora, etc.

Aconite - plethora; active capillary congestions (from overactive serous membranes).

Aconite - tendency to apoplectic congestion; plethora.

Aconite - suppressions from fright, cold, in plethoric subjects.

Arnica. - in cases of sanguine plethoric people with lively expression, nervous women, very red face, disposed to cerebral congestion. ---prolapsus uteri.

Artemisia - girl, aged 18, strong, well developed, plethoric; epilepsy.

Asarum - plethoric young woman suffered for years from headaches.

Asterias - man, aged 56, plethoric constitution, sedentary since eight years; epilepsy.

Aurum met - violent orgasm; plethora.

Bryonia. - plethora.

Cactus. - sanguineous congestions in persons of plethoric habit.

Calc-carb. - congestions: head; eyes; ears; nose; face; chest; abdomen, limbs; plethora.

Calc-carb. - girl, aged 20, small, plethoric and blonde. ---chlorosis with hermicrania.

Calc-carb. - nervous, hemorrhoidal, plethoric and lymphatic constitutions; disposed to grow fat.

Calc-carb. - plethoric woman. ---vulvar tumor.

Calc-carb. - puberty: girls who begin with menses too early and too profuse; fat, yet chlorotic; plethoric girls, amenorrhoea, etc.

Capsicum - a relaxed plethoric sluggish, cold remedy.

Carbo-an. - elderly persons, especially with venous plethora, blue cheeks, blue lips, debility, etc.

Carbo-an. - venous plethora; threatened stagnation of circulation, cyanosis, vital heat sinks to a minimum.

Chelidonium - distension of veins; abdominal plethora; haemorrhoids.

Chelidonium - suits every age, sex and temperament, but particularly spare subjects disposed to abdominal plethora, cutaneous diseases, catarrh or neuralgia.

Chimaphila umb. - plethoric, hysterical young woman; dysuria.

Chimaphila umb. - plethoric young women with dysuria.

China-sulph. - a man, of plethoric habit; intermittent prosopalgia.

China-sulph. - plethoric woman, aged 30; intermittent apoplexy.

Coca. - weakly, nervous, fat or plethoric persons and such as have disease of heart and lungs suffer more from veta.

Cocculus - chronic prosopalgia in ladies of high rank, of ages varying from 30 to 40 years; abdominal plethora, extreme irritability of nervous system, especially of spinal cord; wind in epigastrium; acidity; obstinate constipation; diarrhoea; menstrual colic; bland, thick leucorrhoea; spinal irritation, with nocturnal pains; temperament choleric; through long-continued suffering had been brought into a state of desperation, constantly changing, and that quickly, from pusillanimity and despondency to extreme gayety.

Cocculus - miss h., aged 35, plethoric; headache for 15 years, came shortly after appearance of menses.

Cocculus - woman, aged 26; plethoric constitution; menorrhagia.

Colocynth - neuralgia of the small branches of the infraorbital nerves, in plethoric, choleric, irritable men, from 40 to 50 years of age, and disposed to hemorrhoidal and gouty affections and to congestions towards head; most frequent cause was vexation, but sometimes too close application to business; but once produced, this neuralgia was apt to recur many days successively at same hour, in forenoon.

Conium. - woman, aged 54, plethoric; uterine polypi.

Ferrum iod. - symptoms of plethora; general turgescence of peripheric capillary system.

Ferrum met. - pseudo-plethora; congestions, etc., yet anemic; face is earthy, flushing easily.

Ferrum met- best adapted to young weakly persons, anaemic and chlorotic, with pseudo-plethora, who flush easily; cold extremities; oversensitiveness; worse after any active effort.

Ferrum met. - states of debility where the blood is poor in hematin require material doses; plethoric, haemorrhagic conditions call for small doses, from the second to the sixth potency.

Ferrum phosp - the typical ferr. phos. subject is not full blooded and robust, but nervous, sensitive, anaemic with the false plethora and easy flushing of ferrum.

Ferrum picricum - acts best in dark-haired patients, plethoric, with sensitive livers.

Glonoine - florid, plethoric, sensitive women.

Glonoine - seeming plethora, rapid deviations in distribution of blood; useful as a substitute for bleeding.

Hamamelis - woman, plethoric habit; epistaxis.

Ignatia - plethoric lady, aged 35, mother of eleven children; prosopalgia.

Ipecac - plethora, fat children.

Kali-bich. - officer, aged 24, strong, plethoric constitution, choleric temperament, 15 months ago had chancre; syphilis.

Lachesis. - man, plethoric, tendency to hydrothorax; periodic asthma.

Lachesis. - woman, aged 53, plethoric, robust, choleric; ulcer on leg.

Lilium tig - dysentery; mucus and blood, with tenesmus, especially in plethoric and nervous women at change of life.

Lycopodium. - man, aged 76, strong, corpulent, plethoric, highly fed, fond of wine and tobacco, is affected several times every year with severe catarrh, for eight years has had ulcer on right ala nasi; ulcer on leg.

Merc-sol. - girl, aged 19, well nourished, plethoric; dysentery.

Merc-sol. - woman, aged 54, small, plethoric; glossitis.

Merc-sol. - woman, aged 70, plethoric habit, bilious diathesis, subject to fluent hemorrhoids; bilious diarrhoea.

Mezereum. - man, abdominal plethoric constitution, dark skin, had had several tumors on head removed several years ago, suffering one year; prosopalgia.

Muriatic-acid. - man, aged 65, corpulent, plethoric, indulging in much food and drink, suffering from chronic bronchial catarrh, complicated by slight emphysema which dulcam. removed; passage of feces while urinating.

Opium. - plethora.

Petroleum. - man, aged 50, plethoric, corpulent, suffering several months; mental disturbance.

Phosphorus. - man, aged 32, large, plethoric, light hair and eyes, formerly had scrofulous affection, for which he took blue pill and later corrosive sublimate; fungus haematodes.

Phosphorus. - man, very stout, plethoric, worker in a brewery, suffering three months; hepatic congestion.

Pulsatilla - man, plethoric habit, subject to attacks of rheumatic gout; rheumatism in hand.

Pulsatilla - mrs. c., aged 37, large, plethoric, light hair, blue eyes, suffering for years; headaches.

Sabadilla. - young man, aged 16, plethoric; taenia.

Secale - irritable plethoric subjects.

Senega. - especially suitable for plethoric, phlegmatic persons.

Sepia. - jewess, aged 38, blonde, plethoric, in poor circumstances, suffering since last childbirth three years ago; amenorrhoea.

Stannum. - mr. e. j., aged 38, fleshy, hearty, plethoric; solar neuralgia.

Stramonium. - plethoric, especially young persons.

Sulphur - itching and burning of anus; piles dependent upon abdominal plethora.

Sulphur. - persons of nervous temperament, quick-motoned, quicktempered, plethoric, skin excessively sensitive to atmospheric changes.

Sulphuric acid. - veins (of feet) distended; venous plethora.

Tussilago - compare: tussilago fragrans (pylorus pain, plethora and corpulency); tussilago farfara (coughs); as an intercurrent medicine in phthisis pulmonalis. (see tuberculinum).

Verat-vir - especially adapted to full-blooded plethoric persons.

Verat-vir. - young lady, strong and plethoric, after sweeping a cold, damp floor in her slippers; amenorrhoea.

***Diseases in which the symptom ‘plethora’ was found along with other symptoms and the respective remedies are given below:***

Congestion - complained of by plethoric, debilitated, hypochondriac, or nervous individuals. The principal remedies are: 1, Acon., Aur., Calc., Hep., Kalm., Kreos., Lyc., Phos., Sep., Sulph.; 2, Amb., Amm., Arn., Bell., Bry., Carb. v., Caust., Croc., Chin., Fer., Iod., Natr. m., Nux v., Op., Petr., Phos. ac., Rhus, Samb., Sarsap., Senn., Sil., Stann., Thuj. - rush of blood of plethoric individuals requires: 1, acon., aur., bell., calc., lyc., phos., sep., sulph.

(Amenorrhoea) - for amenia of plethoric individuals use: acon., bell., bry., gels., nux v., op., plat., sabin., sulph.

(Amenorrhoea) Aconite - amenorrhoea in young plethoric girls who lead a sedentary life

(Anaemia) Ferr-met - pure anaemia with appearance of false plethora

(Angina pectoris) Aconite - general or local numbness and tingling, particularly in recent cases, occurring in strong plethoric subjects.

(Apoplexy) Aconite - especially when fright or vexation was the cause of it, in plethoric apoplectic subjects.

(Apoplexy) Arnica - involuntary discharge of urine and faeces. suits middle-aged, plethoric and stout constitutions

(Asthma) Belladonna - asthma of plethoric persons (especially in hot damp climates), < afternoon and evening

(Back pain--spinal irritation) Nux vomica - backache accompanying abdominal plethora, with piles, constipation and urging to urinate, must sit up in order to turn from one side to the other

(Bone diseases, osteitis, periostitis, exostosis, caries, necrosis, etc.) Carbo an - venous plethora

- (Chlorosis) Ferr-met - menses suppressed or profuse, watery, lumpy with labor-pains in abdomen. indicated also for plump fat women suffering from false plethora, migraine, anaemia, headaches
- (Constipation) Aloe - constipation of old people with abdominal plethora
- (Constipation) Belladonna - plethora, abdominal and spasmodic
- (Constipation) Lycopodium - abdominal plethora, with constipation in elderly people of the higher classes, suffering from retarded defaecation
- (Constitution, age, sex and temperament) For nervous persons: 1, Acon., Bar., Bell., Chin., Con., Cupr., Ign., Magn. arct., Merc., Natr., Nux v., Phos., Plat., Puls., Sil., Stann., Sulph., Val., Viol. od.; 2, Alum., Ars., Carb. v., Cham., Dig., Graph., Hep., Hyosc., Laur., Lyc., Natr. m., Nux m., Phos. ac., Rhus, Sabin., Sep., Stram., Teucr., Zinc. - for plethoric individuals. see plethora.
- (Debility) Acon. - suitable to young people, especially young girls, when plethoric and leading a sedentary life, or for extreme sensitiveness to pain
- (Debility) Ferr-m. - pseudoplethora, even tendency to get fat
- (Diaphragm, diseases of) Bell. - in plethoric persons with sympathetic affection or inflammation of liver
- (Diphtheria) Belladonna - only indicated in plethoric patients at the very onset of the disease
- (Eczema) Aconite - acute cases in plethoric persons
- (Epistaxis, nosebleed) Aconite - approach to nosebleed heralded by marked anxiety and restlessness, with fulness of head, in young and plethoric persons.

(Febris flava, yellow fever) Belladonna - particularly suitable to plethoric or lymphatic people, jovial and talkative in health, but angry and violent in sickness.

(Febris flava, yellow fever) Crotalus hor - suitable for fat or plethoric people.

(Febris intermittens) Aconite - recent cases in young plethoric persons with anguish of mind and body and restlessness during the attack

(Gastralgia) Lycopodium - abdominal plethora

(Gastralgia) Sulphur - venous plethora, haemorrhoids.

(Haematemesis, gastrorrhagia) Aconite - plethora, nausea, gagging, retching

(Haematemesis, gastrorrhagia) Aloe - abdominal plethora, hepatic complications

(Haemorrhage from the lungs, haemoptysis) Aconite - < from wine, specially in plethoric persons, after excitement or for pregnant women with nocturnal anguish, lamentations and bright-red face. tuberculosis, cardiac troubles, suppressed haemorrhoids.

(Haemorrhage from uterus) - for active haemorrhage in plethoric persons give: 1, acon., bell., bry., calc., cham., fer., nux v., plat., sab., sulph.

(Haemorrhage from uterus) Camphor - metrorrhagia some days after delivery, unaccompanied by plethora

(Haemorrhage from uterus) Sabina - plethoric women with habitual menorrhagia, who began to menstruate very early in life, always menstruated freely, and showed more or less a tendency to miscarriage

(Haemorrhages) - For active haemorrhages of young plethoric subjects: 1, Acon., Bell.; 2, Croc., Fer., Hyosc., Puls.; 3, Arn.,

Calc., Cham., Chin., Erech., Erig., Gels., Geran., Ipec., Kalm.,  
Lyc., Lycopus, Merc., Nitr. ac., Nux v., Phos., Rhus, Sab., Sang.,  
Senec., Sep., Stram., Sulph., Trill., Veratr. vir.

(Haemorrhages) Aconite - dark hair, plethoric habit, especially in young people

(Haemorrhages) Belladonna - in plethoric people with red faces.

(Haemorrhoids) Aesculus hip - abdominal plethora

(Haemorrhoids) Aesculus hip - depressed and irritable. angina granulosa, a dark-red congestion of fauces, with dryness and soreness, from abdominal plethora.

(Headache) Glonoinum - bad sequelae of cutting hair. intense congestion of the brain in plethoric constitutions, with persistent sensation of pulsation, from sudden suppression of menses, after anxiety and worry with sleeplessness

(Headache) Sepia - sudor hystericus. arthritic headaches, < mornings, with nausea and vomiting, urine loaded with uric acid, from abdominal plethora or menstrual disturbances. brain-fag from one-sided mental strain, loss of animal fluids or other depressing causes, < from any mental exertion, > after meals and from sleep

(Headache) Sulphur - abdominal plethora (sep.)

(Headache) Sulphur - headache from abdominal plethora, from suppressed skin diseases, or chronic gouty and rheumatic headaches, increased by mental exertion, motion, coughing, sneezing

(Heart, diseases of) - palpitation from plethora: acon., aur., cact., coff., dig., gels., glon., lach., nux m., op., phos., sulph., veratr. vir.

(Heart, diseases of) Aconite - palpitations of heart in young, growing persons and plethoric individuals

- (Heart, diseases of) Ferr-met - anaemia masked behind plethora and congestions, pale color of mucous membranes, with nun's murmur
- (Heels, pains in) Sabina - plethoric women, suffering from rheumatic inflammation
- (Hepatic derangements) Carbo an - venous plethora
- (Hepatic derangements) Chelidon - abdominal plethora from simple congestion to positive inflammation
- (Insanity) Stramonium - mental and nervous troubles especially in children or in plethoric young persons.
- (Iris, affections of) Aconite - in very first stage and in sudden reappearance, especially in young, plethoric people from exposure to a cold draught of air. traumatic iritis
- (Melancholia) Nux vomica - abdominal plethora and constipation.
- (Melancholia) Sulphur - abdominal venous plethora, venous lethargy
- (Menses complaints) Aconite - menses profuse, long-lasting, especially in plethoric women who lead a sedentary life, or menses too late, diminished or protracted
- (Menses complaints) Glonoinum - plethora.
- (Migraine) Nux vomica - patient irritable with his abdominal plethora.
- (Neuralgia) - in plethoric persons: 1, acon., arn., bell., fer., hyosc., merc., natr. m., nux v., puls.
- (Neuralgia) Gelsemium - hysterical palpitation in plethoric women
- (Neurasthenia) Graphites - rush of blood to chest and head, but not from true plethora
- (Neurasthenia) Sulphur - abdominal plethora, haemorrhoids.

(Pneumonia) Arnica - where the disease is caused by mechanical injury, and where in plethoric persons pneumonic infiltration shows a tendency to haemorrhage

(Sexual complaints) Silicea - nymphomania with plethora

(Sleeplessness.) Belladonna - sleeplessness, especially of plethoric children, from nervous excitement, from local congestion, from irritation in various parts

(Sleeplessness.) Ferr-met - weak, nervous persons with false plethora.

(Stomatitis, inflammation and ulceration of buccal cavity.) Capsicum - or to phlegmatic, plethoric persons, who lead a sedentary life

(Tonsillitis) Kali nit - tonsillitis in strong, plethoric persons

(Vagina affections) Belladonna - plethoric persons disposed to phlegmonous inflammations

(Vertigo, dizziness) Aloe - severe headache and vertigo from abdominal plethora. vertigo in women of nervous, relaxed or phlegmatic habits during climaxis.

---

ADVANCED HOMOEOPATHIC PRACTICE

By: **Dr. V. KRISHNAMURTHY**

“RAMAN HOUSE”

Old No. 21, Kuppiah Street,

West Mambalam

Chennai - 33, India

Ph: 044-65393214, 097890 69362

-----  
**BULLETIN NO. 8**

**ANGUISH, agony etc. = a severe pain or distress.**

Whenever a patient tells that the pain or suffering is ‘intense’ ‘intolerable’ ‘horrible’ ‘unbearable’ ‘extreme’ ‘torturing’ etc. we must look into the repertory for the word ‘anguish’ ‘agony’ ‘agonizing’ etc.

***Remedies having the symptom  
‘anguish’ ‘agonizing’ or ‘agony.’***

Aconite - a state of fear, anxiety; anguish of mind and body.

Aconite - contraindicated in fevers which bring out eruptions or are otherwise salutary, unless there is agonizing tossing with dry skin.

Aconite - most valuable febrifuge with mental anguish, restlessness, etc.

Aconite - restlessness, agony, internal anxiety; does everything in great haste; must move about or change position often.

Adrenalinum - the symptom guiding to this is, sensation of thoracic constriction with anguish.

Aethusa - cries of anguish (in a child).

Aethusa cynapium - anguish, crying, and expression of uneasiness and discontent, lead to this remedy most frequently in disease in children, during dentition, summer complaint, when, with the diarrhoea, there is marked inability to digest milk, and poor circulation.

Aethusa cynapium - vomiting, with sweat and great weakness, accompanied by anguish and distress, followed by sleepiness.

Ambra. - anguish and sweat all over at night.

Ammon-carb. - anguish as if a crime had been committed.

Amyl nit. - melancholy without sensation of anguish.

Arnica. - violent attacks of anguish. ---angina pectoris.

Arsenic alb. - great anguish and restlessness. changes place continually. fears, of death, of being left alone.

Arsenic alb - great anguish and restlessness. ---stricture of oesophagus. ---gastralgia. ---hematemesis. ---colicodynia.

Arsenic alb - great anguish, tossing about. ---colic. ---pneumonia. --emphysema. ---intermittent.

Arsenic alb - indescribable anguish, restlessness. ---metritis. ---pericarditis. ---cholera asiatica.

Arsenic alb. - cholera, with intense agony, prostration, and burning thirst.

Arsenic alb. - expression of agony on face.

Aurum met - anguish of mind and great grief. ---headache.

Aurum met - excessive anguish with palpitation of heart, weariness in all limbs and sleepiness.

Aurum met - frequent attacks of anguish about heart, with trembling fearfulness.

Aurum met - great anguish coming from precordial region, and driving him from place to place, so that he can remain nowhere.

Aurum met - great anguish increasing unto self-destruction, with spasmodic contraction of abdomen.

Belladonna. - anxiety, anguish, trembling, constant restlessness.

Belladonna. - cardiac anxiety, with anguish and restlessness.

Belladonna. - intolerable anguish during time she is free from rage, with desire to die.

Bismuth. - anguish; at times he sits, then walks, then lies down, never long in one place.

Bromium - full of dreams and anguish; jerking and starting during sleep, full of fantasy and illusions; difficult to go to sleep at night, cannot sleep enough in morning; trembling and weak on awaking.

Bufo. - great anguish. ---meningitis.

Cactus grandiflorus - coldness predominates; cold sweat, with great anguish.

Calc-carb. - despondent and melancholy, in highest degree, with a kind of anguish.

Camphor - was found much excited, screaming loudly, "I shall not faint! I shan't faint, for if I do, I will have fits and never come out of them!" uttered a strange scream, a sort of howl, leaped from bed, apparently in great agony, and bent on something desperate.

Camphora - asiatic cholera, with cramps in calves, coldness of body, anguish, great weakness, collapse, tongue and mouth old.

Carbo-an. - unclouded consciousness and great anguish with sinking of vital forces.

Carbolic acid - agonizing backache across loins, with dragging down the thighs.

Chamomilla. - excessive uneasiness, anxiety, agonizing tossing about, with tearing pains in abdomen.

China-sulph. - anguish and general sweat.

Chininum sulph - anguish.

Coca. - feeling of anguish increased with failure of every effort to strive against the weariness; torment only diminishes with perfect rest. ---veta.

Coca. - feeling of anguish increased with failure of every effort to strive against the weariness; torment only diminishes with perfect rest. ---veta.

Coffea cruda - tossing about in anguish. [acon.]

Coffea-cruda - exasperation, tears; tossing about in great anguish.

Coffea-cruda - great anguish; cannot be composed; is not able to hold the pen; trembles.

Colocynth - agonizing cutting pain in abdomen causing patient to bend over double, and pressing on the abdomen.

Conium. - great anxiety; precordial anguish; superstitious and full of fear, with frequent thoughts of death; loss of memory.

Crotalus hor. - melancholia, with timidity, fear, distress and anguish.

Crotalus hor. - weeping mood, agony and despair.

Cuprum-ars. - intense anguish of mind and body.

Cuprum-met. - loss of spirits; anxiety; fits of anguish and fear of death.

Cuprum-met. - mania with biting, beating, and tearing things to pieces; insane foolish gestures of imitation and mimicry; full of insane spiteful tricks, illusions of imagination, does not recognize his own family; unhappy, apprehensive, anxious, and despairing; precordial anguish, pale, miserable look, general chilliness, not > by heat; attacks en in sweat.

Helleborus - excessive anxiety and anguish.

Helleborus - melancholy: silent; during puberty; with anguish.

Hepar sul - impelled by unaccountable attacks of internal anguish, which sometimes come on quite suddenly, to attempt suicide.

Hepar sulphur - anguish in the evening and night, with thoughts of suicide.

Hyoscyamus. - horrid anguish, fits of anxiety.

Ictodes foetida - troublesome respiration, with sudden feeling of anguish and sweat.

Ignatia - a state of anguish in which she shrieks for help, with suffocating constriction of throat, difficult deglutition; comes out of spasms with deep sighing. ---parturition.

Jatropha. - anxiety and anguish.

Kali-iod. - torturing feeling of anguish preventing sleep.

Kalium cyanatum - cancer of tongue and agonizing neuralgia have been benefited by this drug.

Kalmia - paroxysms of anguish around heart.

Lactuca vir. - anguish and internal uneasiness.

Lycopodium. - anthropophobia (in children); fear of phantoms in evening, with anguish.

Magnesia-carb. - trembling, anguish and fear, as if some accident would happen; all day, > after going to bed.

Merc-sol. - inexpressible pain of soul and body, anxious restlessness, as if some evil impended, < at night, with precordial anguish; sweat of hands and heat of face; disgusted with himself, has not courage to live; constant suspicion, considering everybody his enemy. ---melancholia.

Moschus. - complains without knowing what ails him, with anguish, palpitation, etc.

Nitric-acid. - after continued loss of sleep, long-lasting anxiety, overexertions of mind and body from nursing the sick, great anguish of mind from loss of his dearest friend.

Ornithogalum - agonizing feeling in chest and stomach, starting from pylorus with flatus that rolls in balls from one side to the other, loss of appetite phlegmy retchings and loss of flesh.

Phosphorus. - hypochondriasis; sadness alternating with mirth and laughter; uneasy about one's health; paroxysms of anguish, when alone or in stormy weather, with timorous disposition; told those about him repeatedly that he could not possibly recover, and gave some disjointed directions about his business affairs.

Platin. - after anger alternate laughing and weeping, with great anguish and fear of death.

Platin. - much anguish; she feels as if she would lose her senses and die soon.

Platin. - precordial anguish with palpitation and fear of death and of imaginary forms, ghosts.

Psorinum. - feels the greatest anguish in head, with a whirling before eyes every day, from 5 a. m. until 5 p. m., since two years; walks up and down his room wringing his hands and moaning

continually, ?oh, such anguish! oh, such anguish!/? only when he takes his meals he ceases moaning; appetite is good.

Pulsatilla - anguish in region of heart, sometimes increasing to a desire for suicide.

Raphanus . - anguish with dread of death, which is supposed to be near.

Rhus aromatica - incontinence. severe pain at beginning or before urination causing great agony in children.

Rhus-tox. - melancholia after suppression of menses by fright and sorrow; great restlessness and anguish as if she had committed a crime, or as if she thought some terrible calamity impended; these feelings drove her from one place to another; could not rest quietly at night in bed; was robbed of sleep and all desire to live; slight pain in temples; a little vertigo; head cool; much depressed in mind; spoke but little.

Secale - great anguish; wild with anxiety.

Spongia - paroxysms of anxiety or anguish. ---cardiac troubles.

Stramonium. - a peculiar sensation of anxiety; anguish; despair.

Stramonium. - downcast and full of anguish, believes herself unworthy of eternal bliss, because she is unable to perform her duties.

Tabacum. - becomes quite stupid, loses his senses; precordial anguish, with faintness.

Tarentula hispanica - palpitation; praecordial anguish sensation as if heart twisted and turned around.

Thuja. - mental depression, after childbirth, in consequence of being told that there had been a slight rupture of perineum; grows quiet; thinks she must die; cannot sleep; has no appetite; shuns people; does not answer; seems not to understand a question; cannot count; is in constant anguish; wants to jump out of window;

does not care for children or her relatives; stares before herself; hydrogenoid constitution.

Thuja. - sleeplessness at night; restlessness and tossing about; anguish which does not allow him to sleep; sleep full of dreams and startings.

Verat-alb. - cold sweat on forehead, with anguish and fear of death.

Veratrum album - anguish in pit of stomach.

---

**Diseases in which the symptom 'anguish' (or agony, agonizing etc.) was used to find the remedy, their symptoms and remedies are given below;**

(Albuminuria) Apis mel - urine suppressed or scanty, high-colored, foetid, containing alben, blood-corpuscles, uriniferous tubes and epithelium. great debility, no anguish or fear of death, as in ars.

(Amenorrhoea) Colocynth - colicky pains, causing her to draw up double, with great anguish and restlessness.

(Angina pectoris) Ars-alb. - agonizing praecordial pain

(Angina pectoris) Carbo veg - praecordial anguish as though he would die.

(Angina pectoris) Digitalis - indescribable deathly anguish when paroxysms come closer together during progress of disease

(Angina pectoris) Digitalis - mental anguish, with vertigo and fainting

(Angina pectoris) Glonoinum - great anguish in praecordial region

(Angina pectoris) Kali carb. - strong palpitations, anguish, frequent interruptions of the beating of the heart

(Angina pectoris) Latrodectus - violent praecordial anguish, with sense of impending dissolution

- (Angina pectoris) Naja - sudden agonizing pain in heart
- (Angina pectoris) Veratrum alb - periodical attacks of contractive, crampy pain in left chest, or cutting pains with excessive agony, arresting breathing and extending to shoulder
- (Apoplexy) Glonoinum - during prodromal stage severe headache, hot flashes in head and face, mental exaltation or depression, ill humor, anguish, pulsation of the arteries of the head and neck
- (Asthma) Ambra - oppression in left chest through to the back and between the shoulders, as if emanating from the heart, with palpitations, anguish and loss of breath
- (Asthma) Carbo veg - asthma of old or debilitated people, during the fit they look as if they would die, so oppressed are they for breath, suffocative asthma, with blue and cold skin and great anguish about the heart
- (Asthma) Cocculus - anguish and palpitations.
- (Asthma) Glonoinum - constriction of chest with anguish and much sighing
- (Asthma) Kali nit - tightness and constriction in chest, with anguish and shortness of breath, < in the morning when lying, extending from the back into the chest, when attempting to take a deep breath, gasping for air, followed by cough.
- (Asthma) Nux vomica - distention, aching pains and anguish in the region of heart and hypochondria
- (Asthma) Opium - tightness of breath and oppression, with great anguish and spasmodic constriction of chest
- (Asthma) Pulsatilla - oppression of chest, loss of breath and suffocative fits, with anguish, palpitations and sensation of fulness and pressure on chest, with internal heat and orgasm of blood.

- (Asthma) Stannum - asthma and oppression, especially in the evening or at night when lying down, also in daytime during every exercise, and frequently attended with anguish and desire to detach the clothes
- (Atrophy of children) Veratrum alb - abdomen bloated, hard, hot, and painful constipation of hard, large stools, or watery, greenish or white diarrhoea, painless and involuntary, with cold sweat on forehead, and anguish.
- (Back pain--spinal irritation) Ars-alb. - great prostration with anguish.
- (Bone diseases, osteitis, periostitis, exostosis, caries, necrosis, etc.)  
Mezereum - intolerable nightly burning pains in abscess of antrum highmori, periosteum more affected with dull, crampy pain referred to malar bone, with anguish, pale face, cold sweat and anguish
- (Bronchitis acuta) Cactus - great anguish, suffocation and palpitation of heart
- (Bronchitis chronica) Ammoniacum - bronchorrhoea respiration short, quick, with anguish, especially at night
- (Cancer) Acetic acid - cancer of stomach, ulcerative gnawing pain at one spot in stomach, with agony and depression, preventing sleep, intense and constant thirst
- (Cancer) Mezereum - violent retching, accompanied with the agony of death
- (Cholera) Aconite - bluish face, with black lips, anguish or imbecility in the face
- (Cholera) Camphor - face, hands and feet icy cold, cannot bear to have them covered, great anguish as though he would suffocate, groans and moans in a hoarse, husky voice

- (Cholera) Croton tiglium - anguish, oppression and pressure in stomach
- (Cholera) Cuprum ammoniae Sulphuric - changed features full of anguish.
- (Cholera) Jatropha - anguish, with coldness of body
- (Cholera) Tabacum - nausea and vomiting, if persistent, after purging yielded, recurring in constant paroxysms, with cold sweat, oppressed stomach, anguish and restlessness, cramp and tearing in limbs, occasional drawing in the calves
- (Cholera) Veratrum alb - deathly anguish in the features
- (Cholera) Veratrum alb - great oppressive anguish in the chest giving the patient a desire to escape from the bed
- (Coccygodynia) Lachesis - agonizing pain when rising from his seat
- (Colic) Ars-alb. - violent pains in abdomen, with great anguish, has no rest anywhere, rolls about on the floor and despairs of life
- (Colic) Coffea cruda - anguish and pressure in the epigastrium
- (Colic) Piper meth - agonizing pain, with tossing, twisting and writhing
- (Colic) Plumbum met - knots in recti muscles: anguish with cold sweat and deathly faintness
- (Croup) Acon. - child is in agony and throws itself about
- (Croup) Carbo-veg. - constant anguish and restlessness, child clings to persons, slightly > by fanning or rapid motion.
- (Croup) Lobelia inflata - constant cough and great anguish, with fear of suffocation
- (Debility) Coca - feeling of anguish, increased with failure of every effort to strive against the weariness

- (Debility) Ver-a. - sudden sinking of strength from debilitating (choleraic) losses, with anguish and cold sweat on forehead when he rises.
- (Delirium) Cup-met. - restlessness and anguish, tossing about.
- (Diabetes insipidus) Phos-acid. - bad effects from grief, anguish, care or disappointed love
- (Diabetes) Phos-acid. - bad effects from grief, anguish, sorrow and care
- (Diabetes) Plb-met. - lowness of spirits, anguish and melancholy
- (Diarrhoea) Aconite - after stool relief, except the anguish and fear. diarrhoea from checked perspiration during heat of summer, with cold nights, from anger and fright.
- (Diarrhoea) Aconite - before stool cutting pain, anguish and sweat, during stool cutting pains, trembling, tenesmus, sweat
- (Diarrhoea) Ars. - stool preceded by restlessness, anguish and pain in abdomen
- (Diarrhoea) Iodium - restlessness and inclination to change position constantly, but no anguish or tossing
- (Diarrhoea) Raphanus sativus - anguish and dread of death
- (Diarrhoea) Sec-cor. - sinking spells at 3 a. m., but not the restless anguish of ars., and spasmodic symptoms, fingers spread asunder with tingling in hands and feet, < in childbed, during typhoid fever
- (Dropsy) Apis mel - anguish of mind without fear of death.
- (Dropsy) Apis mel - feeling of dyspnoea with mental anguish as if he could not draw another breath and as if he were going to die. dropsy of chest with dyspnoea and great restlessness, ascites with great soreness of abdominal walls, cannot get breath except

when sitting up, even leaning backward causes suffocative feeling

(Dropsy) *Lactuca virosa* - anguish and internal uneasiness. ascites with induration of liver and asthma.

(Dropsy) *Merc-sol* - constant short and racking cough, anguish, etc.

(Dysentery) *Colchicum* - long-lasting agonizing pain in rectum and anus after stool, causing screams and crying

(Dyspepsia, weakness of stomach) *Baptisia* - irritation of stomach showing itself by violent pains at short intervals over the whole cardiac region, with anguish and a burning sensation

(Dyspepsia, weakness of stomach) *Bovista* - tension in temples, mental anguish.

(Dyspepsia, weakness of stomach) *Natrum mur* - intermittent palpitations with anguish and faintishness.

(Dyspepsia, weakness of stomach) *Phosphorus* - cardiac anguish at night with nausea and a peculiar craving for food, relieved by eating

(Emotions, ill effects of-fear, dread, fright) *Alumina* - anguish and vague uneasiness, as if he had committed a crime

(Emotions, ill effects of-fear, dread, fright) *Ars-alb.* - praecordial anguish with constriction, cold sweat, trembling, prostration.

(Emotions, ill effects of-fear, dread, fright) *Lycopodium* - forgetfulness, anguish and excitement when alone, with restless moving about.

(Emotions, ill effects of-fear, dread, fright) *Pulsatilla* - tremulous anguish, as if death were near

(Emphysema) *Opium* - great anguish and dread of suffocation

(Enteritis) *Aconite* - cutting pain, fever, restlessness, anguish.

- (Enteritis) Belladonna - anguish, with congestion to the head and dimness of vision
- (Epilepsy) Oenanthe crocata - convulsions with vertigo, madness, nausea, vomiting, heat and agony in stomach, followed by unconsciousness, eyes turned up, pupils dilated, lockjaw
- (Epilepsy) Tarentula hisp - sensation of dizziness before the fit, followed by convulsions and great praecordial anguish.
- (Exophthalmic goitre) Aur-met - palpitation of heart with cutting pain and feeling of anguish and tremulous fearfulness
- (Fainting) Nux vomica - and generally when nausea, pale face, scintillations before the eyes or obscuration of sight, pains in the stomach, anguish, trembling, and congestion of blood to the head or chest are present
- (Fainting) Veratrum alb - the paroxysms set in after the least motion, or are preceded by great anguish or despondency
- (Febris hectica) Calc-carb - constant heat, with little thirst, or frequent paroxysms of flushes of heat, with anguish and palpitation of the heart, or constant shuddering, especially in the evening, with red cheeks
- (Febris hectica) Calc-carb - paroxysms of anguish, in the evening
- (Febris hectica) Phosphoric acid - febrile heat in the evening, with anguish and accelerated pulse
- (Febris intermittens) Aconite - recent cases in young plethoric persons with anguish of mind and body and restlessness during the attack
- (Febris intermittens) Calc-carb - from working while standing in cold water, causing drawing in joints and great heaviness in head and body. chill with thirst, begins in scrobiculus cordis, with spasms or fixed, cold, agonizing weight, increasing with the chill and disappearing with it

(Febris intermittens) China - paroxysms tertian, quartan or every seventh day (amm. m.). before great attack thirst, canine hunger, anguish, headache, restless sleep. chill without thirst

(Febris intermittens) Nux vomica - thirst slight or great thirst at the period of greatest coldness, but drinking water fails to relieve thirst, > after nap or good sleep. anticipating type. congestive chill, without thirst, shaking, with blue face and hands, vertigo, anguish, delirium, vivid visions, distended abdomen and stitches in sides and abdomen. irregular paroxysm, sweat, then chill, then sweat, or heat first, then chill, or external heat and internal chill

(Febris intermittens) Stramonium - heat of head and face, then coldness of whole body, then general heat with anguish, sleeps during heat, covers up closely

(Fever, simple continued) Aconite - nervous excitability, groaning and agonizing tossing about, all relieved by a profuse sweat.

(Fever, simple continued) Rhus tox - great heat, anguish, dry skin, stupefying headache, delirium, with desire to escape

(Gall-stones) Calc-carb - darting pain from right to left, with profuse sweat, abdominal spasms and colic, cutting colic in epigastrium, has to bend double, clench hands, writhe with agony.

(Gastralgia) Ars-alb. - intense heat and burning in stomach and pit of stomach, with anguish, great restlessness and fainting.

(Gastralgia) Burning in stomach, particularly on pressure, when empty, accompanied by dyspnoea and apparent stricture of oesophagus; eructations, with burning pain running into the back, in line of the stomach, with nausea and vomiting, especially of tough mucus; salivation; sensation like a worm creeping up from pit of stomach into throat, causing coughing; vomiting only of frothy, bitter mucus or of food as soon as it reaches the stomach: terrible

heartburn after eating sweets, from wine and sour eructations after milk; aversion to meat, fish or sweets, to cooked or warm things. - for pains in the stomach, with great anguish and oppression in the pit and region of the stomach: anac., ars., calc., carb. v., cham., chin., graph., guaiac., laur., lyc., natr. m., nux v., op., puls., spig., stann., stram., sulph., thuj., veratr.

(Gastralgia) Carbo veg - painful burning pressure, with anguish, trembling, and aggravation by contact, at night and after a meal, especially after taking flatulent food

(Gastralgia) Chamomilla - aggravation of the pains after a meal, or at night, with great anguish and restlessness

(Gastralgia) Silicea - anguish in pit of stomach

(Gastralgia) Veratrum alb - pains coming gradually, first in epigastrium, radiating to both sides and upward, reaching to back, between lowest point of scapulae, become agonizing and then gradually subside

(Gastric catarrh, febris mucosa, biliosa) Belladonna - anguish, restlessness

(Gastric catarrh, febris mucosa, biliosa) Chamomilla - great anguish, tension and pressure in the region of the stomach, hypochondria, and especially in the pit of the stomach

(Gastric catarrh, febris mucosa, biliosa) Chelidion - feeling of anguish in pit of stomach

(Gastric catarrh, febris mucosa, biliosa) Merc-sol - painfulness of hypochondria, pit of stomach and around navel < at night, with anguish and restlessness

(Gastric difficulties, colic of infants) Ars-alb. - anguish and restlessness.

(Gastritis) Aconite - stitchlike, burning and pressing pain in the pit of stomach, with anguish and fear of death

(Gastritis) Arg-nit - anguish in praecordia

(Gastritis) Belladonna - difficult breathing, anguish, with congestion of blood to the head, dimness of sight, faintishness, restless and sleepless

(Gastritis) Veratrum alb - pains radiating from stomach upward and to both sides, reaching the back between lowest points of scapulae, becomes agonizing and then gradually subsides

(Gastritis) Veratrum alb - violent vomiting, with continuous nausea and great prostration, hippocratic face, icy coldness of extremities, anguish in pit of stomach

(Haematemesis, gastrorrhagia) Veratrum alb - haematemesis, with continuous nausea, fainting, anguish, vertigo, pale face, profuse cold sweat, prostration and collapse, nausea < on moving or rising

(Haematuria, haemorrhage from urinary organs) Ars-alb. - anguish and restlessness.

(Haemorrhage from the lungs, haemoptysis) Aconite - < from wine, specially in plethoric persons, after excitement or for pregnant women with nocturnal anguish, lamentations and bright-red face. tuberculosis, cardiac troubles, suppressed haemorrhoids.

(Haemorrhage from the lungs, haemoptysis) Aconite - anguish, restlessness, fright, fear of death

(Haemorrhage from the lungs, haemoptysis) Ergotinum - passive pulmonary haemorrhages, mostly venous, but may be also arterial, usually preceded by sensation of pressure upon the chest, with anguish, faint feeling, weak and small pulse

(Haemorrhages) Camphor - great anguish.

(Haemorrhages) Carbo veg - anguish of heart.

(Headache) Ars-alb. - > by wrapping head up warm, < by lying with head low, before and during windy weather, with anguish, especially when alone

(Headache) Cantharis - pains deep in the brain, with constant expression of anguish in the face, with eyes closed or without expression when opened

(Headache) Colocynth - aggravation afternoon and evening, with great restlessness and anguish, especially when the sweat smells urinous

(Headache) Graphites - pain as if head were numb and pithy, as if constricted, especially in occiput, extending to nape of neck, with pains on looking up as if neck were broken. during amenorrhoea frequent congestion to head and chest, dark-red cheeks, oppression and anguish when lying down

(Headache) Kali cyanatum - agonizing neuralgic pains between temporal region and ciliary arch and maxilla, with screaming and apparent loss of consciousness, recurring daily at same hour, with flushing of affected side of head.

(Headache) Lac felinum - acute pain from vertex down left eye and temple, with so much agony that she has to hold her head firmly with her hands and rush through the house from room to room screaming

(Headache) Naja - chronic neuralgic headache with agonizing pains, depriving her of sense and memory

(Headache) Pulsatilla - pale face, whining mood, loss of appetite, no thirst, chilliness, anguish, palpitations

(Heart, diseases of) - with anguish and anxiety: acon., amm. carb., ars., arg. nit., asa., calc., carb. v., graph., natr. m., plat., puls., sep.

(Heart, diseases of) Ars-alb. - heartbeat too strong, visible to the person standing by and audible to the patient himself, < at night and when lying on back. endocarditis and pericarditis with restlessness, agony and tingling of fingers of left hand, after suppressed measles or scarlatina

(Heart, diseases of) Ars-alb. - palpitations with anguish, < after stool, from going up-stairs

(Heart, diseases of) Ars-iod - praecordial anguish, dry cough, great pain in cardiac region going through to back.

(Heart, diseases of) Aur-met - great anguish, with suicidal tendency and spasmodic contraction of abdomen. endocarditis with loud endocardial bruits of fluttering action of heart, or sudden jerks through the heart, pulse rapid, compressible and intermittent. in old people attacks of oppression of heart at night with palpitation and great debility. fatty heart (arn.), the fat being imbedded around the heart and between the muscular fibres, but without destroying their structure (ars and phos, fatty degeneration of the heart, with destruction of the muscular fibres) atheroma of the heart and bloodvessels with its consequences.

(Heart, diseases of) Cannabis ind - pressing pain and anguish at the heart, with dyspnoea the whole night

(Heart, diseases of) Carbo veg - anguish and great thirst

(Heart, diseases of) Carbo veg - excessive palpitations for days, after eating, when sitting. aneurisms, blue varicosities, fine capillary network having a marbled appearance. praecordial anguish as if he would die. impending paralysis of heart, complete loss of vitality, cyanosis, blood stagnates in capillaries, cold face and limbs, cold sweat, filiform pulse.

- (Heart, diseases of) *Cocculus* - irregular murmuring action of heart. occasional endocarditic attack after acon. when there remain great fearfulness and anguish about heart, face of leaden hue.
- (Heart, diseases of) *Digitalis* - vertigo, delirium, abnormal vision, vomiting, rapidly increasing dyspnoea, spasmodic cough with expectoration, mixed with blood, livid, turgescient face, cannot lie down or be moved without anguish from dyspnoea. organic diseases of the heart, sensation as if the heart would stop beating if she moved
- (Heart, diseases of) *Kalmia* - especially useful when gout or rheumatism, after external applications, shifts from joints to heart sharp, severe pains about heart, taking away the breath and shooting down into stomach and abdomen, with slow pulse (dig.) and numb feeling in left arm. pericarditis rheumatica, first stage, with tumultuous, rapid and visible beating of the heart, paroxysms of anguish with great dyspnoea, febrile excitement, pains in limbs, stitch in lower part of chest, right-sided face-ache
- (Heart, diseases of) *Phosphorus* - anguish about heart with nausea and a peculiar sensation of hunger
- (Heart, diseases of) *Pulsatilla* - violent fits of palpitation, often with anguish and obscuration of sight
- (Heart, diseases of) *Sulphur* - palpitation of the heart without any apparent cause, without anguish, when lying or during the siesta
- (Heart, diseases of) *Vipera* - anguish about heart
- (Hepatic derangements) *Aconite* - moaning, tossing about, anguish and dread of death
- (Hepatic derangements) *Belladonna* - agonizing, tossing about
- (Hepatic derangements) *Pulsatilla* - frequent attacks of anguish, especially at night, with diarrhoea

- (Hernia) Aconite - anguish and cold sweat.
- (Hernia) Ars-alb. - great anguish, restlessness, tossing about, feeling as if the intestines became twisted
- (Hernia) Cuprum met - intussusception of bowels with singultus, violent colic, faecal vomiting, great agony and anxiety.
- (Hernia) Veratrum alb - intussusception of bowels, great anguish, rushes about bent double, pressing the abdomen
- (Hydrocephaloid) Camphor - great anguish, semi-stupor
- (Hydrophobia) Hyoscyamus - horrid anguish, fits of anxiety
- (Hypochondriasis) Calc-carb - paroxysms of anguish, with orgasmus sanguinis, palpitation of the heart
- (Hypochondriasis) Ictodes foetida - sudden feeling of anguish, with oppression of breathing and sweat, > after stool.
- (Hypochondriasis) Phosphorus - anguish when alone, especially at twilight, or in stormy weather, with timorous disposition. hepatic or renal affections.
- (Hypochondriasis) Sabadilla - great anguish about heart.
- (Hysteria) Calc-carb - depression and melancholy, with anguish and palpitations, < as evening approaches
- (Hysteria) Chamomilla - agonizing tossing about with tearing in abdomen
- (Hysteria) Ignatia - anguish, with shrieking for help and suffocating constriction of throat
- (Hysteria) Tarentula hisp - anguish and oppression of chest, nearly amounting to suffocation

(Indigestion, gastric derangement) Ars-alb. - colic or burning pains in stomach and abdomen, chilliness and anguish or violent burning pressure at a small spot in stomach

(Indigestion, gastric derangement) Merc-sol - painful sensitiveness of the epigastrium and abdomen, especially at night, with anguish and restlessness

(Infantile remittent fever) Aconite - child starts up from sleep with anguish and cries.

(Insanity) Aconite - restless, agonizing tossing about

(Insanity) Amm-carb - great anguish as if he had committed a crime

(Insanity) Ars-alb. - excessive anguish and irresoluteness

(Insanity) Aur-met - religious anguish and longing for death, being unfit for this and the other world, though he prays all the time

(Insanity) Bismuth - anguish, cannot remain long in one place

(Insanity) Cannabis ind - horror of darkness, great anguish and despair

(Insanity) Chelidon - horrible anguish by day and by night as if she had killed somebody

(Insanity) Cina - anguish about heart as if he had committed some evil deed, when walking in open air, chorea, epilepsy

(Insanity) Cuprum met - praecordial anguish, pale, miserable look, general chilliness, not relieved by heat

(Insanity) Iodum - gloomy mood, despondency, anguish, oppression of chest

(Insanity) Kali iod - torturing feeling of anguish preventing sleep

(Insanity) Platina - praecordial anguish, with palpitation and fear of death and of imaginary forms, ghosts

(Insanity) Secale - great anguish, wild with anxiety

- (Insanity) Veratrum alb - after short anguish the patient passes from this frenzy into one of deepest melancholy, abject despair of salvation, imbecile taciturnity and complete prostration of mind and body
- (Iris, affections of) Merc-cor - burning, agonizing pains, excessive photophobia, profuse, excoriating lachrymation
- (Kidney/bladder stone) Arnica - agonizing pains in back and hips from passage of calculi
- (Labor) Kali brom. - pupils dilated, face bright-red, expressive of anguish and fear
- (Labor) Natrum carb - anguish tremor and perspiration with every pain, during which she desires to be gently rubbed, which affords relief
- (Labor) Paris q - agonizing headaches, with sensation as if the face were drawn towards the root of the nose, then backward towards occiput, as if by a string
- (Leucaemia) Natrum sulph - sycotic pneumonia, inexpressible agony, slowly coagulating blood
- (Mania) Tabacum - proecordial anguish, with faintness.
- (Melancholia) Alum., Ars., Chel., Cocc., Cycl., Dig., Ign., Merc., Sulph., Veratr.; as if persecuted: Chin., Lach., Sulph., etc. - anguish and despair:
- (Melancholia) Ars-alb. - burning neuralgia with agony and great restlessness, and this anxiety drives him from one place to another.
- (Melancholia) Cannabis ind - anguish, with great oppression, > in fresh air.

- (Melancholia) Digitalis - anguish, which seems to proceed from epigastrium
- (Melancholia) Hepar sulph - the patient is impelled by unaccountable attacks of internal anguish, which sometimes come on quite suddenly, to attempt suicide (alum.)
- (Melancholia) Pulsatilla - anxious dreams with praecordial anguish and ideas of suicide
- (Meningitis, cerebro-spinalis) Cactus - anguish at the heart, and lacerating pains in the nape of the neck
- (Meningitis, cerebro-spinalis) Cannabis ind - anguish in chest, with great oppression
- (Meningitis, cerebro-spinalis) Tarentula hisp - deep intense headache, with restlessness, anguish and malaise, the pain flies to forehead and occiput, with photophobia
- (Meningitis, encephalitis) Cantharis - pain deep in brain, with constant expression of anguish on face, resembling a sullen scowl or frown
- (Meningitis, encephalitis) Nux vomica - anguish.
- (Menses complaints) Ambra - spasmodic dyspnoea, cardiac anguish and palpitations.
- (Menses complaints) Cactus - agonizing uterine spasms, < evenings
- (Menses complaints) Ignatia - headache with heat and heaviness in head, photophobia, anguish, beating of heart, great debility unto fainting
- (Menses complaints) Stannum - too early and too profuse. before: great anguish and melancholy the week previous and ceasing with the appearance of menses
- (Menses complaints) Xanthoxylum - agonizing bearing-down, as if everything would be pushed out

- (Metritis) Ars-alb. - restlessness and anguish, with fear of death
- (Migraine) Capsicum - stitching, tearing, drawing pains with sensation as if the skull would burst, at height of attack nausea, vomiting, anguish, < from motion, stooping, light, > in fresh air, from cold
- (Miscarriage, abortion) Chamomilla - great agony and restlessness
- (Mortification, insults:) Aur-met - great anguish, coming from praecordial region, driving him from place to place
- (Nausea and Vomiting) Croton tiglium - vomiting immediately after drinking of ingesta, of yellowish-white frothy fluid, with anguish, oppression and pressure in stomach.
- (Nephralgia, renal colic) Dioscorea - agonizing pain in small spot over crest of right ilium
- (Nephritis) Belladonna - great anguish and colicky pains
- (Nettlerash, urticaria) Aconite - agonizing anxiety and heat of body.
- (Neuralgia) Ars-alb. - great anguish, excessive weakness, has to lie down, affected parts feel cold
- (Neuralgia) Spigelia - fear, anxiety, as if something would happen, praecordial anguish.
- (Neurasthenia) Asafoetida - agonizing tightness of chest, as if patient could not breathe
- (Neurasthenia) Coca - feeling of anguish, increased with failure of every effort to strive against this weariness
- (Nightmare) Aconite - for children and women, with feverish heat, thirst, palpitation, anguish, restlessness.
- (Oesophagus, affections of) Ars-alb. - dryness, thirst, anguish.
- (Ovaries, diseases of) Eupion - mental anguish from disappointed hope.

- (Ovaries, diseases of) Hamamelis - after a blow, ovary swollen, diffuse, agonizing soreness over whole abdomen
- (Pancreas, diseases of) Carbo veg - praecordial anguish.
- (Pemphigus) Causticum - large vesicles on chest and back, with anguish in chest and fever.
- (Pericarditis) Ars-alb. - pericarditis after suppression of measles or scarlatina, with agony, restlessness, tingling in fingers, especially of left hand
- (Pericarditis) Kalmia - great anguish, dyspnoea, fever, stitches in the heart's region.
- (Peritonitis) Aconite - usual febrile symptoms with restlessness, mental agony and fear of death
- (Peritonitis) Cantharis - great anguish and restlessness
- (Pleurisy) Ranunculus bul - acute stabbing pains with effusion of serum, dyspnoea, anguish and distress
- (Pregnancy) Coffea cruda - agonizing toothache, > by holding ice or ice-water in the mouth.
- (Pregnancy) Cuprum met - frequent vomiting, attended by agonizing and long-continued pain and retching
- (Prosopalgia) Aconite - violent pains with restlessness and anguish.
- (Prosopalgia) Kali cyanatum - agonizing neuralgic pains between temporal region, ciliary arch and left upper jaw
- (Prosopalgia) Kalmia - right-sided faceache, pains rending, burning, agonizing, stupefying or threatening delirium
- (Prostate gland, diseases of) Apis mel - agony in passing urine
- (Puerperal fever) Ars-alb. - great restlessness and anguish, with fear of death

- (puerperal mental alienation) Thuja - constant anguish, does not care for children or relatives
- (Purpura) Ars-alb. - unbearable internal heat, dyspnoea, coma, restlessness and anguish, < at night
- (Rabies canina) Hyoscyamus - horrid anguish, fits of anxiety
- (Rheumatism) Actaea spicata - very severe agonizing pain in metacarpal and metatarsal joints, wrists, fingers, ankles and toes, of a tearing, drawing character, < from least motion or touch, at night. great stiffness of joints after rest
- (Rheumatism) Colchicum - torticollis with paroxysms of anguish, dyspnoea, beating of heart, especially at night
- (Rheumatism) Lachesis - intermitting pulse, with irregular action of heart, valvular murmurs, deathly pallor of face, and anguish.
- (Scarlatina) Aconite - also from exposure during desquamation, child starts up during sleep in perfect agony with distressed features, gasping, cold sweat on forehead, cold limbs.
- (Seasickness) Ant-tart - continual nausea, with anguish and oppression in pit of stomach
- (Shock from injuries) Camphor - nervous anguish.
- (Shock from injuries) Coffea cruda - mental anguish, afraid of the surgeon, more quiet when left alone
- (Shock from injuries) Hydrocyanic acid - anguish and pressure in chest
- (Shock from injuries) Lachesis - pain in heart and sensation of suffocation, want to tear everything away from throat from anguish, which causes cold sweat to break out
- (Shock from injuries) Laurocerasus - anguish and pressure in chest

(Shock from injuries) Nitric acid - anguish after crushing losses of dearest friends.

(Shock from injuries) Nux vomica - cold sweat, anguish and vertigo

(Sleeplessness.) Aranea diad - sensation of creeping of ants all over chest, anguish and gaping.

(Sleeplessness.) Ars-alb. - blood degeneration, malnutrition, with nervous exhaustion, anguish, driving out of bed, changes to sofa or chair and then back to bed, cannot rest in any place, changes continually, which fatigues him (iod. has the restlessness, but not the fatigue of ars.)

(Sleeplessness.) Belladonna - anguish and restlessness

(Sleeplessness.) Opium - insomnia from sudden shock caused by bad news, with dulness and dazed depression (acon., agonizing restlessness)

(Smallpox) Hyoscyamus - eruption fails to appear at the proper time, causing great nervous excitement, with rage, anguish, delirium, coming on in paroxysms

(Sore throat) Capsicum - contraction in the curtain of the palate during deglutition and agonizing pains in ganglions of neck in paroxysms

(Sore throat) Hyoscyamus - dry, spasmodic cough at night, respiration labored and agonizing.

(Sunstroke) Belladonna - great anguish and restlessness

(Tetanus and trismus) Veratrum alb - paroxysms preceded by anguish and despair.

(Toothache) Coffea cruda - excessive pains, with weeping, trembling, anguish and tossing about

- (Toothache) Piper meth - pains agonizing, with tossing, twisting and writhing, shooting into the ear, temporarily > by the attention being diverted (bar. carb.)
- (Tuberculosis of lungs) Ars-alb. - haemoptysis, with anguish, fear of death, burning heat all over body, > by getting up
- (Tuberculosis of lungs) Kali nit - lancinating pains in chest, can hardly breathe or lie down, with anguish and extreme prostration
- (Typhoid fever) Coca - debility during convalescence from low fevers with fainting fits, anguish < from failure to strive against this weakness, < with perfect rest
- (Typhus) Ars-alb. - excessive thirst, with oppression and anguish in pit of stomach
- (Uraemia) Hydrocyanic acid - palpitation, with indescribable anguish and dyspnoea
- (Uterus complaints) Ars-alb. - open cancer of womb, with burning and agonizing pain, and secretion of foetid, brown or blackish ichor
- (Vagina affections) Stannum - great anguish and melancholy a week previous to menses, ceasing as soon as they begin to flow
- (Vertigo, dizziness) Belladonna - accompanied with loss of consciousness and falling, with anguish and luminous vibrations before the eyes
- (Vertigo, dizziness) Thuja - nausea and giddiness when walking in the open air, with heat in the face, anguish and sweat
- (Vision complaints) Aconite - sudden and complete blindness, with anguish, bitter complaints and reproaches
- (Vision complaints) Capsicum - anguish, capriciousness, homesickness.

(Vision complaints) Hydrocyanic acid - anguish at pit of stomach

(Whooping-cough) Opium - hot perspiration, with anguish and irregular breathing

---

## ADVANCED HOMOEOPATHIC PRACTICE

By: **Dr. V. KRISHNAMURTHY**

“RAMAN HOUSE”

Old No. 21, Kuppiah Street,

West Mambalam

Chennai - 33, India

Ph: 044-65393214, 097890 69362

---

BULLETIN NO. 9

### Homoeopathy vs allopathy

Regarding comparison of homoeopathy with allopathy, when we consulted I-Ching, the ancient book of wisdom of China, we got the following answer:

"What is easy for allopathy is difficult for homoeopathy;

What is difficult for allopathy is easy for homoeopathy."

The aspiring homoeopath must note that Homoeopathy is Advanced Allopathy.

Therefore, you must attempt to treat only those patients who are having chronic illnesses, those who are not cured by the best doctors of other medical systems and, more particularly, only those patients with diseases for which allopathy has no cure and patient is condemned to death. If you do so, you not only get good success but also you would be making the best use of homoeopathy; also you get good name and soon gain popularity among patients.

The word 'malignant' means "(tumour or disease) that cannot be controlled and is likely to cause death.

If you completely cure malignant diseases, particular terminal cancer etc. that is the best job you would be doing in medical practice.

Thus and therefore, in this bulletin we give you remedies for malignant diseases; at the end, you would also see a list of remedies for malignant cancer.

A teacher is he who makes difficult things easy. We teach all 'practical' aspects only so that you may cure many patients.

***Remedies having the symptom 'malignant/malignancy' are given below:***

(A) powerful adjuvants in the treatment of malignant disease:  
Vaccinium; Variolin; Malandrinum; Thuja

Ailanthus - symptoms remarkably alike to malignant scarlatina.

(B) In malignant diseases after kreosotum, Ars., PHos., Sul. follow as complementary remedies.

Ammonium carbonicum - malignant scarlatina, with somnolence, swollen glands, dark red sore throat, faintly developed eruption.

Ammonium carbonicum - malignant scarlatina.

Anthracinum - this nosode has proven a great remedy in epidemic spleen diseases of domestic animals, and in septic inflammation, carbuncles and malignant ulcers, in boils and boil-like eruptions, acne.

Arsenic alb. - Maintains the system under the stress of malignancy regardless of location. - malignant pustules.

Cistus canadensis - malignant disease of the glands of the neck.

Crotalus hor. - malignant fevers of a haemorrhagic or putrescent character. Sleeps into his symptoms.

Bothrops - Diagonal course of symptoms. - Malignant erysipelas.

Eucalyptus globulus - malignant disease of stomach with vomiting of blood and sour fluid.

Formalinum - it seems to have the peculiar property of eating into malignant tumors, leaving the surrounding healthy tissue uncharred and unchanged.

Formic acid - tuberculosis, chronic nephritis, malignant tumors; pulmonary tuberculosis, not in third stage, however; lupus; carcinoma of breast and stomach; dr. krull uses injections of solutions corresponding to the third centesimal potency; these must not be repeated before six months.

Hippozaeninum. - malignant erysipelas, particularly if attended with large formation of pus, destruction of parts.

Hippozaeninum. - putrescence, destructive, quasi malignant ulcerative tendency to decomposition of tissues.

Kalium arsenicosum - cancer, where suddenly an alarming malignancy without any external signs sets in.

Kali-bich. - man, aged 82, lived for thirsty years in india, had fever, dysentery, bronchitis; bowels generally loose, habitual snuff taker; malignant ulceration of nose.

Kalium phosphoricum - remember it in the treatment of suspected malignant tumors.

Lachesis. - girl, infant, aged 6 months; malignant erysipelas.

Lachesis. - malignant local inflammations, with secondary blood infection and nervous prostration.

Lachesis. - malignant pustule.

Lobelia erinus - malignant growths, extremely rapid development; colloid cancer of the omentum; cork-screw-like pains in

abdomen; great dryness of skin, nasal and buccal mucous membranes; distaste for brandy; dry, eczematous patches covering points of first fingers. malignant disease of the face. epithelioma.

Manganum-acet. - malignant ulcers with blue border, following slight injury.

Mercurius solubilis - this malignant medicinal force is converted into useful life saving and life preserving service if employed homoeopathically, guided by its clear cut symptoms.

Natrum carbonicum - compare : sodii bicarbonates (in vomiting of pregnancy with acetonuria, 30 grains in water spread over twenty-four hours); nat. sulph.; caust.; natr. cacodyl. (foul breath and mouth with bad odor. dry dermatitis of the skin of abdomen. malignant growths. in phthisis, 5 centigrammes hypodermically, daily. increase number of red blood corpuscles to double. also in malignant disease).

Secale - malignant pustule.

Sempervivum tectorum - malignant ulcers of mouth.

Silicea - in malignant affections, the lowest potencies needed at times.

Silicea - boils, carbuncles, felons, and malignant pustule, during suppurative stage.

Silicea - malignant and gangrenous inflammations.

Stramonium. - boy, aged 6; malignant scarlatina.

Tarentula cubensis - various forms of malignant suppuration.

***Diseases in which the remedy was found by using the term 'malignant/malignancy.'***

(Abscesses) b. For chronic abscesses, whether cold or occasioned by congestions, to: Asa., Aur., Calc., Carb. v., Con., Hep., Iod., Laur., Lyc., Mang., Merc., Merc. cor., Nitr. ac., Phos., Sep., Sil., Sulph. - but when once matter has formed, merc. will bring on the discharge of the pus and frequently finish up the case, its chief indication being that suppuration must have already taken place should the open wound not heal under the continuation of merc. give hep. or sil., which are the real specifics against all benign or malignant suppurations. if the abscess looks erysipelatous, apis, bell.

(Anorexia, loss of appetite) PAGE 35 - when caused by infection, the best remedies are: ars., camph., lach., unless chin., rhus, sil. or puls. should be indicated. the malignant pustule generally yields to: 1, ars., bell., sil., rhus, or, perhaps, chin., hyosc., mur. ac., sec., sep.

(Anthrax) Phytolacca - tendency to boils, carbuncles or malignant pustule, very painful, and appearing specially on the back and behind the ears.

(Aphthae, thrush; gangrene of mouth in children) Thuja - malignant aphthae on a sycotic basis.

(Cancer) Crotalus hor - cancer uteri, fungoid, malignant sarcoma, cauliflower excrescence, with much tendency to haemorrhage

(Cancer) Curare - malignant ulcers in different parts of the body

(Cancer) Kreosotum - malignant induration of stomach.

(Carbuncle) Bufo - malignant pustule (*also* Malandrinum).

(Coryza) Nitric acid - coryza, especially when associated with some malignant disease, as scarlatina or diphtheria

- (Diphtheria) Bromium - malignant forms of diphtheria, invading larynx down respiratory organs, leaving great weakness and lassitude
- (Diphtheria) - angina gangraenosa, malignant sore throat: ailanth., alum., amm. carb., amm. caust., apis, ars., ars. iod., arum, bapt., bell., brom., bry., calc. chlor., canth., caps., carbol. ac., chlor., hydr., kali bi., kali mur., kali permang., kali phos., kalm., kreos., lach., lac can., lyc., merc. cor., merc. cyan., merc. biniod., merc. protoiod., mur. ac., nitr. ac., phos., phyt., plumb., salicyl. ac., sang., sulph., sulph. ac., thuj.
- (Diphtheria) Kreosotum - malignant diphtheria, when confined to fauces, especially in scrofulous and lymphatic patients
- (Duodenitis and duodenal catarrh) Ars-alb. - ulceration of duodenum, involving pancreas, following burns or malignant diseases
- (Favus, tinea maligna) Bromium - malignant scaldhead, oozing profusely
- (Glaucoma) Ars-alb. - malignant aphthae of children.
- (Haemorrhoids) Acetic acid - malignant diseases of rectum
- (Heart, diseases of) Merc-cyanatus - rapid heart failure due to malignant cardiac disease. threatening paralysis of heart in diphtheria or other zymotic diseases. needs more provings.
- (Hepatic derangements) Crotalus hor - malignant jaundice, dark haemorrhages from nose, mouth, etc.
- (Hepatic derangements) Phosphorus - malignant jaundice from venous obstruction, often from alcoholism
- (Jaundice) Aconite - yellowish-white thick fur in mouth. jaundice from a cold with catarrh of the small intestines, after fright,

during pregnancy, in newborn children. from atrophy of liver  
malignant jaundice (tincture according to Jousset)

(Jaundice) *Crotalus hor* - malignant, black jaundice

(Jaundice) In psoric persons, with or without hardness and swelling of liver; vomiting of ingesta and blood; pain in pit of stomach or right hypochondrium; abdomen bloated, constipation; sleeplessness; nightly itching of skin; hectic fever. - malignant jaundice: *acon.*, *ars.*, *ars. iod.*, *chin.*, *chin. mur.*, *chel.*, *crotal.*, *elaps*, *dig.*, *lach.*, *picr. ac.*, *vip.*

(Jaundice) *Phosphorus* - malignant jaundice from organic affections

(Leucorrhoea) *Mezereum* - leucorrhoea resembling alben, malignant, chronic

(Nails, diseases of) *Silicea* - opening with a surrounding wall of proud flesh, pus malignant, discolored

(Ophthalmia) *Aur-mur-nat.* - chronic ophthalmia, malignant, cancerous, at the same time nose scurfy, ulcerated

(Ophthalmia) *Thuja* - malignant ophthalmo-blennorrhoea

(Ozaena) *Carbo an* - vesicle at right nostril with malignant ulceration

(Pancreas, diseases of) *Ars-alb.* - ulceration of duodenum, which, by extension, involves the pancreatic duct, perhaps the result of burns, of malignant disease, etc.

(Pancreas, diseases of) Catarrh of pancreatic duct: *Dell.*, *Calc. carb.*, *Carb. an.*, *Lyc.*, *Merc.*, *Puls.* - malignant or epidemic form: *calc. ars.*, *rhus*

(Parotitis) *Mumps*: - *ars.*, *chin.*, *lach.*, *lyc.*, *kreos.*, for malignant parotitis, passing over into ichoration.

- (Puerperal fever) Ailanthus - malignant puerperal fever
- (Scarlatina) Ailanthus - adynamic malignant scarlatina from the start
- (Scarlatina) Amm-carb - miliary scarlatina of a malignant type from deficient oxygenation
- (Scarlatina) China ars - malignant scarlatina
- (Scarlatina) Crotalus hor - malignant scarlatina with haemorrhagic tendency, oozing of blood from every orifice and even from the pores
- (Scarlatina) Kali phos - malignant gangrenous conditions with excessive nervous prostration, feeling of goneness and faintness.
- (Scrofulosis) (silico-sulpho-calcite of alumina needs a proving). - malignant pustule
- (Scrofulosis) Aethiops antimonialis - blepharitis, conjunctivitis and keratitis scrofulosa, even with a malignant tendency
- (Scrofulosis) Aur-mur-nat. - scrofulous malignant ophthalmia, even cancerous
- (Sore throat) Crotalus hor - malignant sore throat, which is greatly swollen, with tendency to gangrene
- (Sore throat) Ledum - malignant sore throat
- (Stomatitis, inflammation and ulceration of buccal cavity.) Ars-alb. - malignant ulceration in mouth
- (Suppuration) Malignant: Asa., chin., hep., merc., phos., pyrogen., sil.
- (Syphilis and sycosis) Ars-alb. - constitutional syphilis, with indescribable feeling of weakness, or with dropsy and malignant ulcerations

(Tinea capitis. Scald head) Bromium - malignant scald head, oozing profusely

(Tumors) Arnica - tumor following a contusion or a similar injury, but not becoming malignant

(Tumors) Aur-met - malignant ulceration of palate and nasal bones (syphilis, lupus)

(Tumors) Semi-malignant Fibroid: Bry., Con., Led., Sil.; enchondroma: Sil.; epulis: Sil.; lupus: Ars., Ars. iod., Sil.; epithelioma: Acet. ac., Aur., Carb. an., Con., Hydrast., Kreos., Sil.; lymphoma: Ars., Phos. - malignant scirrhus: acet. ac., arn., ars. iod., brom., carb. an., carbol. ac., con., gal., hydrast., lap. alb., merc. aur., mur. ac., nitr. ac., sil. encephaloma: ars., ars. iod., bell., calc., carbol. ac., croc., gal., hydrast., kali hydr., lach., nitr. ac., phos., sil., thuj

(Tumors) Silicea - semi-malignant and cancerous tumors

(Ulcers) Ant-tart - deeply penetrating, malignant ulcers

(Uraemia) Arum-t - uraemia in malignant cases of scarlatina, diphtheria, etc.

(Uterus complaints) Carbo an - ulcers, scrofulous or malignant, with foul discharge

(Uterus complaints) Crotalus hor - fungoid, malignant sarcoma

(Uterus complaints) Curare - malignant ulcers in different parts of body

***Remedies for terminal cancer or cancer that threatens the life of the patient (malignant):***

Kalium arsenicosum - cancer, where suddenly an alarming malignancy without any external signs sets in.

Lobelia erinus - malignant growths, extremely rapid development; colloid cancer of the omentum; cork-screw-like pains in abdomen; great dryness of skin, nasal and buccal mucous membranes; distaste for brandy; dry, eczematous patches covering points of first fingers. malignant disease of the face. epithelioma.

---

***Diseases in which ‘malignant’ and ‘Cancer’ remedies and their symptoms are given below:***

(Cancer) Crotalus hor - cancer of the tongue with great haemorrhagic tendency; putrid sore mouth with bloody salivation; cancer of stomach, much haemorrhage or much vomiting of mucus, slimy or bloody, with distressing sensation of sinking, and craving for stimulants; cancer uteri, fungoid, malignant sarcoma, cauliflower excrescence, with much tendency to haemorrhage; weak, debilitated constitutions.

(Cancer) Curare - malignant ulcers in different parts of the body; cancer of the cheeks, healing over very slowly and passing easily into gangrene; funnel-shaped ulcer of os uteri, with corroding, ichorous, foetid discharge, smarting in vulva and thighs, shooting and digging pains in womb.

(Cancer) Kreosotum - shooting stitches in the vagina; burning and swelling of the external and internal labia; profuse discharge of dark coagulated blood, or of a pungent bloody ichor,

preceded by pain in the back; aggravation of the pains at night; fainting on rising from the bed; she always feels chilly at the menstrual period; complexion livid; disposition sad, irritable; cauliflower excrescences; wretched complexion, great debility, sleeplessness. tightness of the pit of the stomach, cannot bear the weight of her clothing; painful hard place on the left side of her stomach; constipation in uterine cancer; soreness and smarting between labia and in vulva, with excessive pruritus and ulcerative pain in neck of uterus; epithelial cancer on nose; malignant induration of stomach.

(Ophthalmia) Aur-mur-nat. - chronic ophthalmia, malignant, cancerous, at the same time nose scurfy, ulcerated; violent pains in whole left side of head, mostly over eyes; glaucoma; retinal congestion; syphilitic iritis, with sore, bruised sensation around the eyes; scrofulous ophthalmia; amaurosis.

(Ozaena) Carbo an - scrofulous ozaena; swelling of nose, with pimples inside and outside, forming crusts which last a long time; vesicle at right nostril with malignant ulceration; little boils inside of nose, with tense and burning sensation, < during menses; saddle across nose with copper-colored eruption. cancer nasi.

(Scrofulosis) Aur-mur-nat. - scrofulous malignant ophthalmia, even cancerous; at the same time nose scurfy; destruction of nasal bones, ozaena with ichorous, bloody, foetid discharge; epithelioma; cyananche cellularis; uterine and ovarian enlargements; indurations and chronic suppuration of glands and bones (aur. ars.).

(Tumors) Silicea - semi-malignant and cancerous tumors; scirrhus induration of the upper lip and face; sebaceous and synovial cysts, fibroid tumors; epulis; encephaloma oculi; blood-boils and warts; gliomatosis.(Uterus complaints) Crotalus hor -

cancer; fungoid, malignant sarcoma; cauliflower excrescence, with haemorrhagic tendency; very degraded state in patient.

(Uterus complaints) Curare - lips thick and full of scirrhus tubercles; sores healing very slowly and passing easily into gangrene; malignant ulcers in different parts of body; corroding, cancerous ulcers; smarting in vulva and thighs; shooting and digging pains in womb; swelling of rectum and anus; very sensitive haemorrhoidal fissures; anxious and despairing expression.

---